L Number	Hits	Search Text	DB	Time stamp
12	192	73/861.74.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
13	471	600/538.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
14	200	482/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
15	161	73/861.75.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
16	127	73/861.76.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:37
17	187	73/861.71.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:37
18	6	(((flow flowmeter volume) near4 (detect$4 indicat$4 meter$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)) and (hub near4 (variable adjust$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:40
19	14	(((flow flowmeter volume) near4 (detect$4 indicat$4 meter$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)) and (hub near4 (variable adjust$4 mov$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:41
-	177	73/861.74.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
-	0	128/716.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
-	374	600/538.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
-	181	482/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36

C:\APPS\EAST\Workspaces\Peak Flow Meter.wsp

-	18	482/13.ccls. and vent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:45
-	36	600/538.ccls. and vent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:39
-	156	73/861.75.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
-	125	73/861.76.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
-	175	73/861.71.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:36
-	47	600/538.ccls. and (vent blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:46
-	26	482/13.ccls. and (vent blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:54
-	17	5277195.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:52
-	0	5613497.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 10:54
-	20	("2889707" "3797480" "4041935" "4638812" "5224487" "5253651" "5277195").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:00
-	0	air near filtet near2 hexagon$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:01
-	2	air near filter near2 hexagon$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:02

-	2	air near2 filter near2 hexagon$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:03
-	69	filter near2 hexagon$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 11:03
-	0	73/861.7$.ccls. and (remov$5 near2 filter) and hexa$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:35
-	13	73/861.7$.ccls. and (remov$5 near2 filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:37
-	0	73/861.7$.ccls. and (hexa$6 near2 filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:39
-	122	73/861.7$.ccls. and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:43
-	9	73/861.7$.ccls. and (air near2 filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:47
-	6	("5277195" "5253651").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11/30 15:47
-	339	((flow flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 16:58
-	19	(((flow flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)) and ((post pin column$4) same (hub hob))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 16:55
-	469	((flow flowmeter volume) near4 (detect$4 indicat$4 meter$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:22
-	74	(((flow flowmeter volume) near4 (detect$4 indicat$4 meter$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)) and hub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:37

C:\APPS\EAST\Workspaces\Peak Flow Meter.wsp

-	21	(((((flow flowmeter volume) near4 (detect$4 indicat$4 meter$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)) and hub) not (torque engine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:19
-	8	(peak near4 (flow flowmeter volume) near4 (detect$4 indicat$4 meter$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:28
-	0	((maximum high$4 peak greatest) near4 (flow flowmeter volume) near4 (detect$4 indicat$4 meter$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane) same hub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:36
-	29	((maximum high$4 peak greatest) near4 (flow flowmeter volume) near4 (detect$4 indicat$4 meter$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same spring same (blade turbine vane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/12 17:36
-	183	73/861.74.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:55
-	0	128/716.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:39
-	402	600/538.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:39
-	189	482/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:39
-	159	73/861.75.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:40
-	126	73/861.76.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:40
-	178	73/861.71.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 10:40
-	30	(73/861.74.ccls. 600/538.ccls. 482/13.ccls. 73/861.75.ccls. 73/861.76.ccls. 73/861.71.ccls.) and ((hub base support$4 element member) near4 (limit$4 predetermined pre?determined maximum) near4 (move$4 displac$4 traslat$4 rotat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:23

C:\APPS\EAST\Workspaces\Peak Flow Meter.wsp

-	1092	(vane blade turbine windmill) near6 ((hub base support$4 element member) near4 (limit$4 predetermined pre?determined maximum) near4 (move$4 displac$4 traslat$4 rotat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:09
-	2001	(vane blade turbine windmill) near6 ((hub base support$4 element member) near4 (limit$4 predetermined pre?determined control$4 maximum) near4 (move$4 displac$4 traslat$4 rotat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:41
-	49	((vane blade turbine windmill) near6 ((hub base support$4 element member) near4 (limit$4 predetermined pre?determined maximum) near4 (move$4 displac$4 traslat$4 rotat$4))) and ((flow volume) near4 (meter$4 determin$4 detect$4 sens$4 measur$4 estimat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 12:59
-	107	((vane blade turbine windmill) near6 ((hub base support$4 element member) near4 (limit$4 predetermined pre?determined control$4 maximum) near4 (move$4 displac$4 traslat$4 rotat$4))) and ((flow volume) near4 (meter$4 determin$4 detect$4 sens$4 measur$4 estimat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 11:57
-	518	(vane blade turbine windmill) near6 ((hub base support$4 element member) near4 (limit$4 predetermined pre?determined control$4 maximum) near4 (move$4 displac$4 traslat$4 rotat$4)) same (pin post shaft beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:19
-	25	((vane blade turbine windmill) near6 ((hub base support$4 element member) near4 (limit$4 predetermined pre?determined control$4 maximum) near4 (move$4 displac$4 traslat$4 rotat$4)) same (pin post shaft beam)) and ((flow volume) near4 (meter$4 determin$4 detect$4 sens$4 measur$4 estimat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:11
-	4	spirometer same hub	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:11
-	0	spirometer near6 ((hub base support$4 element member) near4 (limit$4 predetermined pre?determined control$4 maximum) near4 (move$4 displac$4 traslat$4 rotat$4)) same (pin post shaft beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:35
-	0	spirometer near6 ((hub base support$4 element member) near4 (limit$4 restrict$4 predetermined pre?determined control$4 maximum) near4 (move$4 displac$4 traslat$4 rotat$4)) same (pin post shaft beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:42
-	1	spirometer near6 ((hub base support$4 element member) near4 (limit$4 restrict$4 predetermined pre?determined control$4 maximum) near4 (move$4 displac$4 traslat$4 rotat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/16 13:49
-	186	73/861.74.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
-	431	600/538.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14

-	160	73/861.75.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
-	127	73/861.76.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
-	182	73/861.71.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
-	194	482/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:15
-	0	(73/861.74.ccls. 600/538.ccls. 73/861.75.ccls. 73/861.76.ccls. 73/861.71.ccls. 482/13.ccls.) and ((slot hole orifice opening) near6 (scale mark$4)) same ((flow flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:41
-	1	((slot hole orifice opening) near6 (scale mark$4)) same ((flow flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:47
-	34	((slot hole orifice opening) near6 (scale mark$4)) and ((flow flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 13:13
-	5	(73/861.74.ccls. 600/538.ccls. 73/861.75.ccls. 73/861.76.ccls. 73/861.71.ccls. 482/13.ccls.) and ((slot hole mouth vent orifice opening) near6 (scale mark$4)) and ((flow flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:56
-	36	((slot hole mouth vent orifice opening) near6 (scale mark$4)) and ((flow flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) same (vane blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 13:02
-	5	((slot hole orifice opening) near8 (scale index mark$4)) and ((flow flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) and ((back$4 near4 pressure) near4 restrict$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 14:03
-	1	2889707.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 14:03
-	5	((slot hole orifice opening) near8 (scale index mark$4)) and ((flow anemometer flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) and ((back$4 near4 pressure) near4 restrict$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 14:12

-		5	((slot hole orifice opening) near8 (scale index mark$4)) and ((flow spirometer anemometer flowmeter volume) near4 (detect$4 indicat$4 determin$4 estimat$4 sens$4 calculat$4 monitor$4)) and ((back$4 near4 pressure) near4 restrict$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 14:36

C:\APPS\EAST\Workspaces\Peak Flow Meter.wsp